

Solution de piégeage à base d'attractant alimentaire contre *Bactrocera olea*

Cette solution combine un gel attractif alimentaire et un Smart Trap upside-down pour capturer les mouches de l'olive adultes mâles et femelles.

Avantages

- Diffusion longue durée
- Formulé avec des ingrédients biosourcés
- Utilisable en agriculture biologique
- Facile à appliquer
- Outil d'aide à la décision
- Spécifique au ravageur ciblé
- Stockage à température ambiante (0-30°C)

Caractéristiques de Olea Plus Pro Caps®

Type de produit	Diffuseurs d'attractifs alimentaires
Packaging	Sachet en aluminium
Utilisation	Détection / Monitoring
Substance active	Phosphate diammonique dibasique
Cible	Mouche de l'olive
Poids net de la formulation	10 g
Temps indicatif de diffusion*	30 jours
Rayon de diffusion estimé	Les mouches sont attirées dans un rayon d'environ 20 m

*pour une température moyenne de 30°C et sans vent fort.

Utilisation

- ⌚ **Période de détection** : de mars à octobre. Renouvelez le diffuseur en fonction de la durée indicative de diffusion. Effectuez des relevés de manière hebdomadaire pour suivre la pression du ravageur.
- 📍 **Positionnement des pièges** : suspendre dans la canopée de l'arbre.
- 📊 **Densité recommandée pour du monitoring** : 2-5 pièges/ha.
- 📖 Consultez votre agronome référent pour plus de détails.



Pièges associés



Montage du piège


Exemple d'utilisation du sachet Olea Plus Pro Caps® + Smart Trap® upside down.



Trapping solution based on pheromone against *Bactrocera olea*

This solution combines a food attractant gel and Smart Trap upside-down to capture adult male and female olive flies.

Benefits



Characteristics of Olea Plus Pro Caps®

Product type	Food-attractant dispenser
Packaging	Aluminium pouch
Use	Detection / Monitoring
Active substance	Dibasic diammonium phosphate
Target	Olive fly
Net weight of formulation	10 g
Indicative diffusion time*	30 days
Estimated diffusion radius	Flies are attracted within a radius of approx. 20m

*at an average temperature of 30°C and without strong wind.

Use

- 🕒 **Detection period:** from March to October (adapt and renew the dispenser according to recommended diffusion).
- 📍 **Trap location:** hung in the canopy of the tree.
- 📊 **Recommended density for monitoring:** 2-5 traps/ha.
- 📖 Consult your reference agronomist for more details.



Associated traps



Trap setup

Example of use of **Olea Plus Pro Caps® pouch** + Smart Trap® upside down.

